

VCarve Pro

Adding Preview Materials



Vectric

VCarve Pro

Disclaimer

All CNC machines (routing, engraving, and milling) are potentially dangerous and because Vectric Ltd has no control over how the software described in this manual might be used. Vectric Ltd or any associated Resellers cannot accept responsibility for any loss or damage to the work piece, machine or any individual, howsoever caused by misusing the software. Extreme care should always be taken and the output from the software thoroughly checked before sending it to a CNC machine.

The information in this manual may be subject to change without any prior notice. The software described in this manual is supplied under the terms and conditions of the software license agreement and may only be used in accordance with the terms of this agreement.

© Vectric Ltd
Unit 3 Dunstall Court
Astwood Lane
Feckenham
B96 6QH
UK

www.vectric.com

E-mail info@vectric.com
Phone +44 (0) 1527 460 459
Fax +44 (0) 1527 460 459

Table of Contents

How does Job Preview work?.....	2
Adding Materials.....	2
Where to get new Materials.....	3
Useful Tip.....	3
Support.....	3

Introduction

Although the standard list of preview materials provides a reasonable selection of woods, stones and metals to choose from, you may have a project that requires a special material type. For example, a customer may require their work to be carved into a special wood that isn't in the default list of materials.

The Job Preview material list can very easily be edited to include your own material types and selection names, allowing your work to be previewed and saved in the same materials that you are actually planning route or engrave.

How does Job Preview work?

The material types listed in the pull-down list on the Job Preview form are simply image files that can be edited or added to. The software automatically loads any images found in the sub-folders underneath the Textures folder and projects the selected material type onto the job in the 3D window.

The supported image formats are – **JPG, GIF, TIF and BMP**

We recommend that you use JPG images as these are very compressed files (small in size) and produce very good colour shaded images.

Adding Materials

New materials can be added by,

1. Edit the image size of the material to have a resolution of approximately 1000 x 1000 pixels.

This can be done in using image editing software like Corel Draw, Photoshop, Paintshop Pro etc

2. Save required material as a JPG file
3. Copy the JPG file into one of the standard folders

C:\Program Files\VCarve Pro\Textures**1_Wood**

C:\Program Files\VCarve Pro\Textures**2_Metals**

C:\Program Files\VCarve Pro\Textures**3_Stone**

C:\Program Files\VCarve Pro\Textures**4_Misc**

4. You can also add your own folder structure and save your materials into this.

For example, create a new folder named,

C:\Program Files\VCarve Pro\Textures**5_My_Materials**

5. Restart VCarve Pro and your new material will be available from the pull-down list on the Job Preview form.

Where to get new Materials

The Job Preview materials can be obtained from many different sources and the list below will give you some ideas on where to look for new material types.

- Search the Internet for images and photographs of materials
- Take digital photographs of objects made from the required materials
- Purchase Clipart Texture libraries
- Create your own using graphics packages such as Photoshop or Corel etc.

Useful Tip

When sending your designs to prospective customers and clients you may risk giving them your creative efforts, without collecting a cheque for the work.

To help protect your own designs and hard work you might consider 'Water marking' the colour shaded images of the finished designs with your own company name / logo.

Simply open each of the material images using an image editing software, add your own details in the bottom left corner and save the file with a new name.

The image below shows how the Vectric Logo has been added to the Oak material.



Support

If you need assistance or have any questions about adding custom materials e-mail support@vectric.com